

Earthquakes

Chapter 3

Earthquakes

- **What we need to know about the hazards of Earthquakes**
- Understand how scientists measure and compare earthquakes
- The processes behind earthquakes, i.e. faulting, tectonic creep, and the formation of seismic waves
- Which global regions are most at risk for earthquakes and why
- Understands the effects of earthquakes, such as shaking
- Learn the other hazards linked with earthquakes
- Understand the important natural service of earthquakes
- Understand how human beings interact with and affect the earthquake hazard
- Understand how we can minimize seismic risk and what can be done to protect ourselves

Earthquake Catastrophes Lessons Learned

- Earthquakes are devastating events
 - These earthquakes can be **catastrophic** when the population is huge or when structures are not built to withstand an earthquake
- Earthquakes may **develop from the movement of magma or sudden ground subsidence**.
- **Fault movement allows an abrupt release of energy, usually after a long, slow accumulation of strain**
- **Fault rupture can take place at the surface and displacement can take place at considerable depth**

Earthquakes

- **A vibration in the Earth produced by shock waves resulting from a sudden displacement along a fault**
- Earthquakes may also **develop from the movement of magma or sudden ground subsidence**.
- **Fault movement allows an abrupt release of energy, usually after a long, slow accumulation of strain**
- **Fault rupture can take place at the surface and displacement can take place at considerable depth**

Earthquakes

- **Building Regulations and zoning can play an important role in determining the extent of damage from earthquakes**
- How deep the was the rupture
- The nature of the soil and rock
- Construction regulations of earthquake regulations effect the number of people and damaged

buildings

- We can't control the geologic environment of depth of an earthquake but we can control sound planning techniques and earthquake engineering of buildings

Introduction to Earthquakes

- **Earthquakes are compared by the amount of energy released**
- **Magnitude** – the relative amount of energy released during an earthquake
- **Shaking Intensity**– intensity scale devised by Giuseppe Mercalli in 1902
 - Updated to the **Modified Mercalli intensity scale**
- **The area where the earthquake starts is called the Epicenter**
 - This is where the ruptured rocks broke to produce the earthquake

Earthquake Basic Features

- **Epicenter** - Point on surface above surface
- **Surface rupture** – Forms fault scarp amount of slip on fault
- **Focus** – Where rupture on fault plane started
- **Fault Slip** – Direction of the fault slip
- **Fault plane** – Plane of the earthquake
- **Spreading Area** – Area of rupture on the fault plane
- **Surface of the Earth** – Basic surface of the Earth

Earthquakes

Earthquake Magnitude and Intensity

- **Magnitude** - is determined from an estimate of the area that ruptured along a fault plane during the quake
- Calculated on a logarithmic scale
- Each difference in scale 32 times more intense than the previous.
 - 32 times more energy is released
- Magnitude scale developed by Charles Richter
- Recently “**Moment Magnitude**” has been developed to be used more by seismologists
- Used more to describe the very large earthquakes- **Earthquake Intensity**
- Estimates the area of rupture along the fault plane during a quake, the amount of movement or slippage along the fault, and the rigidity of the rocks near the focus of the quake

Used to prepare online Community Internet Intensity Maps

Earthquake Processes

- **Process of Faulting**
- What are the kinds of faults
- Strike Slip – Transform -a block of crust moves mainly in a horizontal direction
- Dip-Slip – A block of the crust moves mainly in a vertical direction
- Normal Fault – Hanging wall moves up relative to the foot wall
- Reverse Fault – Hanging wall moves down relative to the foot wall
- Overthrust Fault – Hanging wall moves over the foot wall at an angle
- **Fault Activity**
- Active- if movement during the last 200 – 10,000 years
- Potentially Active- if movement during the 10,000 – 1,650,000 Years
- Inactive – if movement during 65,000,000 to 4.6 billion years ago – the age of the earth

Types of Faults

Faulting

- **Faulting results when rock is broken under stress and displacement happens**
 - **Fault zones**—a area of weakness in the crust
 - **Fault line** – the intersection a fault zone with the Earth’s surface
- Fault scarps**– steep cliffs that represent the edge of a vertically displaced block

Tectonic Creep and Slow Earthquakes

- **Tectonic Creep** – the gradual movement along a fault which can’t be felt
- These are called **slow earthquakes or fault creep**
- Slowly causes damage to anything built over the land
- Example: Suncrest housing development built on old slide or creep
- Roads are cracking and sliding down the mountain
- Newly recognized using GPS devices used to capture geodetic movement

Seismic Waves

- **Start at the Focus – or the epicenter of the earthquake.** (Waves move out from the epicenter like waves in water when rock thrown in)
- **P Waves** – Compressional waves which move through the Earth like sound waves alternately compressing and relaxing the medium that they pass through (like a slinky). Move through both solids and liquids
- **S Waves**– Shear waves which move strong side-to-side, up and down slowing moving waves. Only move through solids.
- **Both P waves and S waves** are “body waves”

- **Surface waves** immediately after the P and S waves arrive on the surface and produce strong side-to-side movement as well as the up-and-down “rolling” motion.
- One type of surface wave is called a *Love Wave* which especially damages foundations

Earthquake Shaking

- Three important factors determine the shaking you will experience during an earthquake
- **Earthquake magnitude**
- **Your location in relation to the epicenter and direction of rupture**
- **Local Soil and rock conditions**
- **Generally strong shaking may be expected from earthquakes of moderate magnitude (M 5 – 5.9) or larger**
- **These types of earthquakes will cause the ground to rock and roll damaging building and other structures**
- **DUH!!!!**

Earthquake Shaking

- **Distance from the Epicenter**
 - Using Seismographs which produce a seismogram, the epicenter can be located by looking at the travel speed of the P and S waves
 - Scientists use triangulation from more than 4 seismic centers to locate the Epicenter
- **Depth of Focus**
 - The depth of the earthquake **focus** determines how much “shaking” will happen
 - The deeper the focus the less shaking is felt on the surface
 - Seismic waves lose much of their energy (*attenuation*) if the focus is deep in the earth
- **Direction of Rupture**
 - Although the rupture from the focus may move in many directions the path of the greatest rupture can focus the earthquake energy. This is the **directivity**.
 - Contributes to the *amplification of seismic waves and shaking*

Seismograph

Earthquake Shaking

- **Supershear**
 - Occurs when the **propagation of rupture** is **faster** than the velocity of shear-waves or surface waves produced by the rupture
 - Supershear can produce **shock waves that produce strong ground motion** along the fault

Earthquake Shaking

- **Local Geologic Conditions**
 - The **nature of the local earth materials and geologic structure strongly influences** the

amount of ground motion

- Earth materials **behave differently in an earthquake**
- If the earth material causes the **P and S waves to slow down** the forward **energy is focused vertically**; this is known as **material amplification**
- This movement strongly **influences the ground motion** of an earthquake
- **Local geologic structures** can also influence the amount of shaking
 - Synclines and fault-bounded sedimentary basins can focus seismic waves the way a magnifying lens focuses sunlight
 - This causes severe shaking in some areas and less intense shaking in others

The Earthquake Cycle

- From the 1906 San Francisco earthquake observations were made that led to a hypothesis known as the **earthquake cycle**
- The earthquake cycle proposes that there is a drop in elastic strain after an earthquake and a reaccumulation of strain before the next event
- Strain is deformation resulting from stress
- Elastic strain may be thought of as deformation that is not permanent, provided the stress is eventually released
- When the stress is released, the elastically deformed material returns to its original shape
- This release of pent-up energy is what happens when an earthquake happens, sometimes deformity is left after the quake

Geographic Regions at Risk from Earthquakes

- Earthquakes are not randomly distributed
- There are well-defined zones along the boundaries of Earth's tectonic plates
- **Plate Boundary Earthquakes**
 - Earthquakes occur along all three types of plate boundaries
 - Convergent
 - Divergent
 - Transform
 - The world's greatest earthquakes that happen in the last 100 years have been along **megathrust subduction zones**
 - These are called megathrust earthquakes
 - In the western United States, **earthquakes are common along the transform San Andreas fault zone and the convergent Cascadia and Aleutian subduction zones**
 - The **states along the Rocky Mountains (including Utah) experience many earthquakes**
- Knowing the probable location, the magnitude and effects of an earthquake allows for plans to be made to decrease loss of life and damage

Intraplate Earthquakes

- **Less common**
- **Can be large and extremely damaging**
- They don't happen often so **people are less prepared for them**
 - There were **two large earthquakes 1811-12** during the winter in the central Mississippi Valley
 - Felt all over the eastern states from New Orleans to Boston to Quebec City
 - Produced a intense surface deformation over a wide area of Memphis, Tennessee north to the confluence of the Mississippi and Ohio Rivers
 - These two earthquakes occurred along the New Madrid seismic zone, part of a geologic structure known as the Mississippi Embayment
 - It is figured that earthquakes happen along this embayment at a *recurrence interval*, once every several hundred years
- **Shaking is not the only cause of death and damages during earthquakes**
 - **Earthquakes often cause other hazards or linkages to other natural hazards**
- **Shaking and Ground Rupture**
 - A major ground rupture from an earthquake causing a short cliff is called a **Fault Scarp**
 - This cliff is not an "opening to the inside of the earth" like some movies insinuate
 - Buildings can experience damage by violent shaking called ground acceleration
 - This can cause the building to shake by matching is frequency or **resonance**
- **Liquefaction**
- **Shaking of water-saturated material**
 - Turns clay soil to fluid resulting in subsidence, fracturing, and horizontal sliding of the ground surface
- **Regional Changes in Land Elevation**
 - **Vertical deformation of the land surface** is linked to large earthquakes
 - Includes regional uplift and subsidence of the earth's surface
 - Can cause substantial damage to coastal areas and along streams
- **Landslides**
 - **Landslides are the closest physical link to earthquakes**
 - Earthquakes are the most common trigger of landslides
 - Can be extremely damaging and cause a large loss of life
- **Fires**
 - **Happens when surface is displaced and electrical power and natural gas pipes break**
 - Larger threat when water mains break, roads and bridges broken, blocking fire equipment ability to get to fire and put it out
- **Disease**

- **Outbreaks of diseases** sometime occur during large earthquakes because of the **loss of sanitation, housing, contamination of water** and other public health problems

Finding benefits from earthquakes

Can sound like it would be difficult, but there are some natural service functions from earthquakes

- **Groundwater and Energy Resources**
 - Movements of faults as a result of earthquakes allow the **underground flow of water, oil, and natural gas**
- **Mineral Resources**
 - Faulting from earthquakes may be responsible for the **accumulation or exposure of economically valuable minerals**, like **veins of gold, silver or other valuable minerals**
 - **Oquirrh Mountains (many types of minerals**
- **Landform Development**
 - Earthquakes can form **scenic landforms** over long intervals of geologic time
 - **Many parts of central and southern Utah**
- **Future Earthquake Hazard Reduction**
 - By having **small earthquakes the tension is released** avoiding that “big one”

Earthquakes Caused by Human Activity

- **Four** ways the actions of people have caused earthquakes
 - Over -Loading the Earth’s crust with building a dam and reservoir
 - Injecting Liquid waste deep water into the ground through disposal wells
 - Creating underground nuclear explosions
- Hydraulic Fracturing-exploring for oil and natural gas

Loading the Earth’s crust as in building a dam and reservoir

Water reservoirs may create or induce earthquakes

- The huge weight of the water can create or extend fractures in adjacent rock
- Increases water pressure in the surrounding groundwater causing earthquakes

Injecting liquid waste deep into the ground through disposal wells

Deep Waste Disposal was an experiment of the US Army in the 1960’s

- **This experiment** provided the direct evidence that injecting fluids into the earth can cause earthquakes
- Increases underground fluid and pressure **which caused slippage of numerous fractures of metamorphic rock**

- **When this was discontinued, the earthquakes quit, an important find**
- **Creating underground nuclear explosions**
 - During the **1960's (again)** the testing of nuclear explosions was moved from the surface to **underground protecting people living downwind**
 - It was thought that these **explosions could be used to release the seismic tension in underground rock**
- **It really doesn't work**, and there is still the problem of having any nuclear explosions
- **Hydraulic Fracturing (Fracking)**
 - The **new way of looking for oil, coal, shale gas, or natural gas**
 - Found in Oklahoma, Pennsylvania, Ohio, and many other states
 - Started in 1947, lately being used more in the past 10 years
 - Besides the **environmental problems that can occur, earthquakes have been tied to fracturing**
 - In 2011, **Oklahoma experienced its largest earthquake**. It was thought to be linked to fracturing processes being practiced in the state, but the **USGS declared it was probably natural**
 - **Other earthquakes have been felt in areas where fracturing has been used.**

Minimizing the Earthquake Hazard

- **Earthquakes cause lots of damage and loss of life consequently there has been research into how to forecast an earthquake**
- It would be hoped that by forecasting earthquakes lives and damage can be decreased
- So the **National Earthquake Hazard Reduction Program was formed with these goals**
 - **Develop and understanding of the earthquake source**
- Requires obtaining information about the physical properties and mechanical faults and develop models about the process
- **Determine earthquake potential**
- Study the seismically active regions to determine their paleoseismicity, identify active faults and rates of deformation
- **Predict effects of earthquakes**
 - Obtain information needed to calculate the predict the ground rupture and shaking on buildings
- **Apply research results**
 - The program educates individuals, communalities, states, and the nation about earthquakes

Minimizing the Earthquake Hazard

- **Estimation of Seismic Risk**
 - Seismic hazard maps can be used to help formulate where earthquakes can happen
- **Short-term Prediction**
 - Active area of research
 - Relies on precursors, events or changes that occur prior to main shock
 - Doesn't always work, prediction a complex problem
 - If predictions actually are formulated they will be based on
 - Patterns and frequency of
 - Deformation of the ground surface
 - Seismic gaps along faults
- Geophysical and geochemical changes

Minimizing the Earthquake Hazard

The Future of Earthquake Prediction

Scientists have been working on prediction but still haven't got a good system

Progress has been made on short-term, but long-term forecasting is still along way off

Earthquake Warning Systems

It is technical feasible that an earthquake warning system could be made that would give a 1 minute warning

But if there were false alarms, people would begin to not take them seriously

Because there aren't ways to predict or warn people of earthquakes there are problems with the perception of and adjustment to the earthquake

Perception of the Earthquake Hazard

Society is vulnerable to catastrophic loss from large earthquakes due to old buildings, too big of buildings and many other problems

Minimizing the Earthquake Hazard

Community Adjustments to the Earthquake Hazard

Since we can't avoid living in earthquake prone areas, society needs to take steps to adjust to the earthquake hazard by doing these following steps to avoid these hazards

Location of Critical Facilities

Facilities which are critical to communities need to be located in safe areas

Structural Protection

The need to build buildings so they don't fall down and kill people will make society safer if an earthquake should happen

Education

Education on what and how to protect yourself during an earthquake and how to build earthquake safe, decreases the hazards of earthquakes

Increase Insurance and Relief Measures

If you are in an earthquake prone area, take get earthquake insurance,

Personal Adjustments

Make adjustments to your home to make it earthquake safe and have a plan if an earthquake happens